

	L #	Hits	Search Text	DBs
1	L1	22255	(allocat\$3 or reallocat\$3 or re-allocat\$3 or deallocat\$3 or de-allocat\$3) near4 (storage or lun or disk or block)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
2	L2	13712	(allocat\$3 or reallocat\$3 or re-allocat\$3 or deallocat\$3 or de-allocat\$3) near4 (storage or lun or disk)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
3	L3	273065	(i/o or read or write) with (current or progress or present\$2 or use\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
4	L4	638	2 same 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
5	L5	6268	(stop\$4 or halt\$3 or prevent\$3 or paus\$3 or terminat\$3 or postpon\$3 or delay\$3) near5 (reallocat\$3 or deallocat\$3 or allocat\$3 or re-allocat\$3 or de-allocat\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
6	L6	81	4 and 5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
7	L7	57618	(boot or reboot)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
8	L8	2571	storage adj area adj network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
9	L9	18	6 and 7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
10	L10	6	6 and 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
11	L11	22	9 or 10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
12	L12	17	11 and (@ad<"20010608" or @prad<"20010608")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
13	L13	35539	(allocat\$3 or reallocat\$3 or re-allocat\$3 or deallocat\$3 or de-allocat\$3) near4 (storage or memory or lun or disk)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
14	L14	636	13 with 3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
15	L15	87	14 and 5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
16	L16	71	15 and (@ad<"20010608" or @prad<"20010608")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
17	L17	40	16 and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
18	L18	10955	(allocat\$3 or reallocat\$3 or re-allocat\$3 or deallocat\$3 or de-allocat\$3) near4 (storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
19	L19	204	18 same 5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
20	L20	99	3 same 5	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
21	L21	6	19 and 20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
22	L22	0	("2002/0188697").URPN.	USPAT
23	L23	1758	((allocat\$3 or reallocat\$3 or re-allocat\$3 or deallocat\$3 or de-allocat\$3) near4 (storage)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
24	L24	3049	13 same network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
25	L25	2144	(stop\$4 or halt\$3 or prevent\$3 or paus\$3 or terminat\$3 or postpon\$3 or delay\$3) near5 (reallocate\$3 or deallocate\$3 or allocate\$3 or re-allocate\$3 or de-allocate\$3 or access\$3) near5 (storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
26	L26	15	23 and 24 and 25	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
27	L27	4	26 and (@ad<"20010608" or @prad<"20010608")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
28	L28	829	(reallocate\$3 or re-allocate\$3 or deallocate\$3 or de-allocate\$3) near4 (storage)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
29	L29	76	((reallocate\$3 or re-allocate\$3 or deallocate\$3 or de-allocate\$3) near4 (storage)).ti,ab.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
30	L30	7	8 and 29	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
31	L31	7754	mount\$3 with (reboot\$3 or boot\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
32	L32	1929	file adj system with table	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
33	L33	27	31 and 32	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
34	L34	352801	(i/o or read or write) with (current or progress or present\$2 or access\$3 or use\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
35	L35	5394	(i/o or read or write) near5 (current or progress or present\$2) near5 (access\$3 or use\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
36	L36	69690	(stop\$4 or halt\$3 or prevent\$3 or paus\$3 or terminat\$3 or postpon\$3 or delay\$3) near5 (reallocat\$3 or deallocat\$3 or allocat\$3 or re-allocat\$3 or de-allocat\$3 or access\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
37	L37	129	35 same 36	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
38	L38	2	37 and storage adj area adj network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
39	L39	39	37 and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
40	L40	27	39 and (@ad<"20010608" or @prad<"20010608")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
41	L41	820	i/o and storage and mount and (boot or reboot) and network	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
42	L42	416	41 and file adj system	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
43	L43	211	42 and 36	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
44	L44	137	43 and (@ad<"20010608" or @prad<"20010608")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
45	L45	53	44 and ("709"/\$.ccls. or "707"/\$.ccls. or "713"/\$.ccls. or "710"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB

	L #	Hits	Search Text	DBs
46	L46	3645	network.ti,ab,clm. and (access\$3 near5 storage).ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
47	L47	11536	(i/o or read or write) near5 (current or progress or present\$2) near5 (operation or access\$3 or use\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
48	L48	30	36 and 46 and 47	US-PGPUB; USPAT; EPO; JPO; IBM_TDB
49	L49	22	48 and (@ad<"20010608" or @prad<"20010608")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB